


**TYPICAL CROSS-SECTION
BETWEEN LOT# 16-17 155-156**



NOTE
LOTS 18, 24, 148, 154
INSTALL DRIVEWAY WITHOUT CULVERT
RELOCATE SMALL HIGHLIGHT TO
DRIVEWAY LOCATION IF NECESSARY

POND #1
HWL = 547.00
NWL = 543.00

TYPICAL NOTE:
1.0 ft. minimum to be
provided.
6" slope & T/F 6" above
grade & building.

BUILDING ELEVATIONS & LOT GRADING

Specific building elevations and site grading for each lot shall be established at time of application for a building permit. A lot site plan (1" = 20' scale) shall be required as part of the permit application. This site plan shall indicate proposed building layout and elevation, existing utilities and easements, proposed sewer and water services, existing contours, proposed ground elevations and resulting drainage patterns. All elevations, grading and other site details shall be subject to specific approval of the County.

**NETTLE CREEK DR. GRADING
STA. 15+00 - 29+00
NETTLE CREEK GOLF COURSE
STOCKDALE RD. & SARATOGA RD.
ERIENNA TOWNSHIP, ILLINOIS**

3/21/94
10/11/93
5/4/93
3/10/93
1/29/93
10/3/90
8/30/90
7/14/90
5/21/90

SCALE: 1" = 50'
DATE: 4/3/90
APPROVED BY: J.P.
DRAWN BY: J.P.
RAYMOND E. DERBAS & ASSOCIATES
CONSULTING CIVIL ENGINEERS
7227 WEST LUTHER STREET PALMS HEIGHTS, IL 60443
708/448-1044
13 OF 31